







## **PAGER** Version 2


Created: 2 hours, 7 minutes after earthquake

# M 5.6, 55 km NE of Anamizu, Japan

Origin Time: 2024-01-01 09:08:17 UTC (Mon 18:08:17 local) Location: 37.5249° N 137.4079° E Depth: 10.0 km








## **Estimated Population Exposed to Earthquake Shaking**

ESTIMATED POPULATION EXPOSURE (k=x1000)		_*	15,917k	3,904k	24k	12k	1k	0	0	0
ESTIMATED MODIFIED MERCALLI INTENSITY		I	11-111	IV	V	VI	VII	VIII	IX	X+
PERCEIVED SHAKING		Not felt	Weak	Light	Moderate	Strong	Very Strong	Severe	Violent	Extreme
POTENTIAL	Resistant Structures	None	None	None	V. Light	Light	Moderate	Mod./Heavy	Heavy	V. Heavy
DAMAGE	Vulnerable Structures	None	None	None	Light	Moderate	Mod./Heavy	Heavy	V. Heavy	V. Heavy

<sup>\*</sup>Estimated exposure only includes population within the map area.

## Population Exposure

population per 1 sq. km from Landscan



#### PAGER content is automatically generated, and only considers losses due to structural damage. Limitations of input data, shaking estimates, and loss models may add uncertainty.

#### **Structures**

Overall, the population in this region resides in structures that are resistant to earthquake shaking, though vulnerable structures exist. The predominant vulnerable building types are heavy wood frame and reinforced/confined masonry construction.

## **Historical Earthquakes**

Date	Dist.	Mag.	Max	Shaking
(UTC)	(km)		MMI(#)	Deaths
1983-03-15	303	5.4	VII(259k)	1
1983-08-08	267	5.6	VII(7k)	1
1995-01-16	391	6.9	IX(1,740k)	6k

Recent earthquakes in this area have caused secondary hazards such as landslides, fires and liquefaction that might have contributed to losses.

### Selected City Exposure

from GeoNames.org MMI City Population IV Himimachi 55k IV Kurobe-shi 43k IV Nyuzen 28k IV Nanao 45k IV Itoigawa 31k IV Nishishinminato 36k IV Toyama 326k I۷ Kanazawa 459k IV Niigata 505k Ш Nagano 360k

Saitama bold cities appear on map.

Ш

1,193k (k = x1000)

Event ID: us6000m0ya